



Certificate of Analysis

PASSED













Production Method: Other - Not Listed
Retail Product Size: 1 units
Retail Serving Size: 1 units
Servings: 1

Lab ID: LA60504005-001
Ordered: 05/04/26
Sampled Date: 05/04/26
Sample Size: 1 units
Completed: 05/09/26
Revised: 05/12/26

Prismm Earth
www.prismmearth.com
License #: HEMP

SAFETY RESULTS

MISC.

									
Pesticide PASSED	Heavy Metals PASSED	Microbial PASSED	Mycotoxins NOT TESTED	Solvents PASSED	Filtration/Foreign Material PASSED	Water Activity PASSED	Moisture Content NOT TESTED	Vitamin E NOT TESTED	Terpenes TESTED

CannabinoidPASSED



	TOTAL CANNABINOIDS	CBDV	CBDA	CBGA	CBG	CBD	THCV	CBN	D9-THC	D8-THC	CBC	THCA
%	1.8840	<LOQ	<LOQ	<LOQ	<LOQ	1.7040	<LOQ	0.1150	<LOQ	<LOQ	0.0650	<LOQ
mg/g	18.8400	<LOQ	<LOQ	<LOQ	<LOQ	17.0400	<LOQ	1.1500	<LOQ	<LOQ	0.6500	<LOQ
LOD	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003
LOQ	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010
Qualifier	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 2032, 1497, 2387, 1878, 1572 **Weight:** 0.7782g **Extraction date:** N/A **Extracted by:** 2032

Analysis Method: SOP.T.30.031.NV; SOP.T.40.031.NV
Analytical Batch: LA014847POT
Instrument Used: LV-SHIM-002 (Private) **Batch Date:** 05/05/26 13:27:04
Analyzed Date: 05/09/26 11:20:45


Dilution: 400
Reagent: 030926.11; 030226.03; 010726.08; 013026.01; 013026.04; 013026.07; 011526.01; 010626.R05; 010626.R04; 010120.01
Consumables: 1009697043; 1009468980
Pipette: LV-PIP-068 (100-1000 uL - VWR); LV-PIP-075 (5 -50 uL - Scilogex); LV-PIP-088 (Eppendorf L48417L)

Cannabinoid analysis utilizing Ultra High Performance Liquid Chromatography with UV Detection (UHPLC-UV). Method SOP.T.30.031.NV for sample preparation and SOP.T.40.031.NV for analysis. Total THC = d8-THC + d9-THC + 0.877 * THCA, Total CBD = CBD + 0.877 * CBDA

TerpenesTESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/G)	QUALIFIER
TOTAL TERPENES	0.0060	0.0200		TESTED	0.0736	0.7356	
ALPHA-BISABOLOL	0.0060	0.0200		TESTED	0.0322	0.3218	

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on NV regulations.

Kelly Zaugg
Lab Director

State License # RL003
ISO 17025
Accreditation # PJLA L24-756-5
Signature
05/09/26
Laboratory License #:
69204305475717257553

Revision: #1 -
5/12/26 --- Updated
MIC



4439 Polaris Ave.
Las Vegas, NV, 89103, US
(833) 465-8378

Kaycha Labs
.....
Comfort Assist CBD 900 mg
Matrix: Infused Product
Classification: Edible
Type: Capsule



Certificate of Analysis

Pages 2 of 5

Prism Earth
www.prismearth.com
License #: HEMP

Sample: LA60504005-001

Ordered: 05/04/26
Sampled: 05/04/26
Completed: 05/09/26

PASSED



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/G)	QUALIFIER
BETA-CARYOPHYLLENE	0.0060	0.0200		TESTED	0.0213	0.2127	
GUAJOL	0.0060	0.0200		TESTED	0.0201	0.2011	
BORNEOL	0.0060	0.0200		TESTED	<LOQ	<0.2000	
CAMPHENE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
CAMPHOR	0.0060	0.0200		TESTED	<LOQ	<0.2000	
CARYOPHYLLENE OXIDE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
CEDROL	0.0060	0.0200		TESTED	<LOQ	<0.2000	
EUCALYPTOL	0.0060	0.0200		TESTED	<LOQ	<0.2000	
FARNESENE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
FENCHOL	0.0060	0.0200		TESTED	<LOQ	<0.2000	
FENCHONE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
GERANIOL	0.0060	0.0200		TESTED	<LOQ	<0.2000	
GERANYL ACETATE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
HEXAHYDROTHYMOL	0.0060	0.0200		TESTED	<LOQ	<0.2000	
ISOBORNEOL	0.0060	0.0200		TESTED	<LOQ	<0.2000	
ISOPULEGOL	0.0060	0.0200		TESTED	<LOQ	<0.2000	
LINALOOL	0.0060	0.0200		TESTED	<LOQ	<0.2000	
NEROL	0.0060	0.0200		TESTED	<LOQ	<0.2000	
NEROLIDOL	0.0060	0.0200		TESTED	<LOQ	<0.2000	
OCIMENE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
PULEGONE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
SABINENE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
SABINENE HYDRATE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
TERPINOLENE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
VALENCENE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
ALPHA-CEDRENE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
ALPHA-HUMULENE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
ALPHA-PHELLANDRENE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
ALPHA-PINENE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
ALPHA-TERPINENE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
ALPHA-TERPINEOL	0.0060	0.0200		TESTED	<LOQ	<0.2000	
BETA-MYRCENE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
BETA-PINENE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
D-LIMONENE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
DELTA-3-CARENE	0.0060	0.0200		TESTED	<LOQ	<0.2000	
GAMMA-TERPINENE	0.0060	0.0200		TESTED	<LOQ	<0.2000	

Analyzed by: 2851, 880, 1878, 1572 Weight: 0.8663g Extraction date: N/A Extracted by: 2851

Analysis Method : SOP.T.30.061.NV; SOP.T.40.061.NV
 Analytical Batch : LA014852TER
 Instrument Used : LV-GCMS-002 Batch Date : 05/05/26 15:54:16
 Analyzed Date : 05/09/26 11:21:27

Dilution : 10
 Reagent : 090225.28; 090225.23; 090225.33; 090225.38; 041525.02
 Consumables : 1009697043; 1010089776
 Pipette : LV-PIP-030 (20 - 200 uL - VWR); LV-PIP-020 (5 - 50 uL - VWR); LV-BTD-020

Terpene screening is performed using gas chromatography with mass spectrometry following SOP.T.30.061.NV and SOP.T.40.061.NV.



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ABAMECTIN	ppm	0.038	0.125	0.038	PASS	<LOQ	

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on NV regulations.

Kelly Zaugg
Lab Director

Revision: #1 - 5/12/26 --- Updated MIC

State License # RL003
 ISO 17025
 Accreditation # PJLA L24-756-5

Signature
 05/09/26
Laboratory License #:
 69204305475717257553

Revision: #1 This revision supersedes any and all previous versions of this document.



4439 Polaris Ave.
Las Vegas, NV, 89103, US
(833) 465-8378

Kaycha Labs
.....
Comfort Assist CBD 900 mg
Matrix: Infused Product
Classification: Edible
Type: Capsule



Certificate of Analysis

Pages 3 of 5

Prism Earth
www.prismearth.com
License #: HEMP

Sample: LA60504005-001

Ordered: 05/04/26
Sampled: 05/04/26
Completed: 05/09/26

PASSED

Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ACEQUINOCYL	ppm	0.038	0.125	4	PASS	<LOQ	
BIFENAZATE	ppm	0.038	0.125	0.4	PASS	<LOQ	
BIFENTHRIN	ppm	0.038	0.125	0.038	PASS	<LOQ	
CYFLUTHRIN	ppm	0.038	0.125	2	PASS	<LOQ	
CYPERMETHRIN	ppm	0.038	0.125	0.038	PASS	<LOQ	
DAMINOZIDE	ppm	0.038	0.125	0.038	PASS	<LOQ	
DIMETHOMORPH	ppm	0.038	0.125	2	PASS	<LOQ	
ETOXAZOLE	ppm	0.038	0.125	0.4	PASS	<LOQ	
FENHEXAMID	ppm	0.038	0.125	1	PASS	<LOQ	
FLONICAMID	ppm	0.038	0.125	1	PASS	<LOQ	
FLUDIOXONIL	ppm	0.038	0.125	0.5	PASS	<LOQ	
IMIDACLOPRID	ppm	0.038	0.125	0.5	PASS	<LOQ	
MYCLOBUTANIL	ppm	0.038	0.125	0.4	PASS	<LOQ	
PIPERONYL BUTOXIDE	ppm	0.038	0.125	3	PASS	<LOQ	
PACLOBUTRAZOL	ppm	0.038	0.125	0.038	PASS	<LOQ	
PYRETHRINS	ppm	0.038	0.125	2	PASS	<LOQ	
SPINETORAM	ppm	0.038	0.125	1	PASS	<LOQ	
SPINOSAD	ppm	0.038	0.125	1	PASS	<LOQ	
SPIROTETRAMAT	ppm	0.038	0.125	1	PASS	<LOQ	
THIAMETHOXAM	ppm	0.038	0.125	0.4	PASS	<LOQ	
TRIFLOXYSTROBIN	ppm	0.038	0.125	1	PASS	<LOQ	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.015	0.050	0.8	PASS	<LOQ	

Analyzed by: 2774, 1878, 1572	Weight: 0.2244g	Extraction date: 05/05/26 09:13:50	Extracted by: 2774
---	---------------------------	--	------------------------------

Analysis Method : SOP.T.30.101.NV; SOP.T.40.101.NV
Analytical Batch : LA014839PES
Instrument Used : ABBA Sciex 6500+ (LV-LCMS-002) **Batch Date :** 05/05/26 08:43:22
Analyzed Date : N/A

Dilution : 5
Reagent : 043026.R05; 041126.R08; 042426.R11; 032326.R01; 043026.R04; 041026.R05
Consumables : 55447-U; 20220103; 1009697043; 1009468980
Pipette : LV-PIP-026 (1-10 mL - VWR); LV-PIP-034 (5-50 uL - Scilogex); LV-BTD-015; LV-BTD-022; LV-PIP-068 (100-1000 uL - VWR); LV-PIP-096 (100-1000uL, s/n 25M83335)

Pesticide screening is performed using LC-MS (Liquid Chromatography with Mass Spectrometry Detection) for regulated pesticides following SOP.T.30.101.NV and SOP.T.40.101.NV.

Analyzed by: 2774, 2639, 1798, 1572	Weight: 0.2244g	Extraction date: 05/05/26 09:13:50	Extracted by: 2774
---	---------------------------	--	------------------------------

Analysis Method : SOP.T.30.151.NV; SOP.T.40.151.NV
Analytical Batch : LA014840VOL
Instrument Used : GCMS 8040-TQ (Shayla) **Batch Date :** 05/05/26 08:44:16
Analyzed Date : 05/07/26 11:31:20

Dilution : N/A
Reagent : 043026.R05; 041126.R08; 042426.R11; 032326.R01; 043026.R04; 041026.R05
Consumables : 55447-U; 20220103; 1009697043; 1009468980
Pipette : LV-PIP-026 (1-10 mL - VWR); LV-PIP-034 (5-50 uL - Scilogex); LV-BTD-015; LV-BTD-022; LV-PIP-068 (100-1000 uL - VWR); LV-PIP-096 (100-1000uL, s/n 25M83335)

Pesticide screening is performed using GC (Gas Chromatography with Mass Spectrometry Detection) for regulated pesticides following SOP.T.30.151.NV and SOP.T.40.151.NV.

Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
PROPANE	ppm	33.000	100.000	499.5	PASS	<LOQ	
BUTANES	ppm	33.000	100.000	499.5	PASS	<LOQ	

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on NV regulations.

Kelly Zaugg
Lab Director

Revision: #1 -
5/12/26 --- Updated
MIC

State License #
RL003
ISO 17025
Accreditation #
PJLA L24-756-5

Signature
05/09/26
Laboratory License #:
69204305475717257553

Revision: #1 This revision supersedes any and all previous versions of this document.



4439 Polaris Ave.
Las Vegas, NV, 89103, US
(833) 465-8378

Kaycha Labs
Comfort Assist CBD 900 mg
Matrix: Infused Product
Classification: Edible
Type: Capsule



Certificate of Analysis

Prisimm Earth
www.prisimmearth.com
License #: HEMP

Sample: LA60504005-001

Ordered: 05/04/26
Sampled: 05/04/26
Completed: 05/09/26

PASSED

Residual Solvents PASSED

Table with 8 columns: ANALYTES, UNIT, LOD, LOQ, LIMIT, PASS/FAIL, RESULT, QUALIFIER. Rows include HEPTANE and ETHANOL.

Analyzed by: 880, 1798, 1572 Weight: 0.0199g Extraction date: 05/05/26 14:48:42 Extracted by: 880

Analysis Method: SOP.T.40.041.NV Analytical Batch: LA014846SOL Instrument Used: LV-GCMS-001 Analyzed Date: 05/08/26 12:41:40 Batch Date: 05/05/26 12:09:37

Dilution: N/A Reagent: 090225.28; 090225.23; 090225.33; 090225.38; 041525.02; 091025.01 Consumables: N/A Pipette: LV-SYR-009 (GTCAL 25uL s/n - 45144)

Residual solvent screening is performed by Headspace Gas Chromatography with Mass spectrometry following SOP.T.40.041.NV.

Microbial PASSED

Table with 8 columns: ANALYTES, UNIT, LOD, LOQ, LIMIT, PASS/FAIL, RESULT, QUALIFIER. Rows include STEC, SALMONELLA, TOTAL AEROBIC COUNT, and ENTEROBACTERIAEAE.

Analyzed by: 2365, 1798, 1572 Weight: 1.2g Extraction date: 05/05/26 13:47:41 Extracted by: 2365

Analysis Method: SOP.T.40.209A.NV; SOP.T.40.056C.NV Analytical Batch: LA014848MIC Instrument Used: LV-PCR-006 (Pathogen Dx MiniAmp Thermal Cycler) (Gordo) Analyzed Date: 05/12/26 08:35:31 Batch Date: 05/05/26 13:40:24

Dilution: N/A Reagent: 050426.04; 041926.03 Consumables: 13925047; 25374; 24264; 051425vx03; WO5120; WO 4503; WO4253; 20240700-2; 1010089776; 1009718026; 1009468941; 1009870193 Pipette: LV-PIP-021(1-10 mL - VWR); LV-PIP-009 (1-10 mL - VWR); LV-PIP-046 (100-1000 uL - Fisherbrand); LV-PIP-063 (20-200 uL - Fisherbrand); LV-PIP-066 (100-1000 uL - Fisherbrand); LV-PIP-067 (100-1000 uL - Fisherbrand); LV-PIP-074 (2-20 uL - Lambda Elite Touch)

Microbial testing is performed by a combination of agar and Petrifilm plating as well as PCR (Polymerase Chain Reaction) to test for Mold/Yeast, Total Aerobic Count, Enterobacteria, Coliforms, Salmonella, Pathogenic E Coli, and Aspergillus.

Analyzed by: 2365, 1798, 1572 Weight: 1.08g Extraction date: 05/05/26 10:18:23 Extracted by: 2677

Analysis Method: SOP.T.40.209A.NV; SOP.T.40.056C.NV Analytical Batch: LA014843TYM Instrument Used: Micro plating with Flower, Edibles, Tinctures Standard Dilutions Analyzed Date: 05/07/26 16:53:04 Batch Date: 05/05/26 09:58:17

Dilution: N/A Reagent: 042926.R01 Consumables: 347FY8; 418325240A; 418325179A; 3489TE; 13925047; 1009468941 Pipette: LV-PIP-010 (100-1000 uL - VWR); LV-PIP-009 (1-10 mL - VWR); LV-PIP-047 (100-1000 uL - Fisherbrand); LV-PIP-067 (100-1000 uL - Fisherbrand); LV-PIP-100 (100-1000uL, s/n 842761986); LV-PIP-101 (100-1000uL, s/n P01M80728029)

Microbial testing is performed by a combination of agar and Petrifilm plating as well as PCR (Polymerase Chain Reaction) to test for Mold/Yeast, Total Aerobic Count, Enterobacteria, Coliforms, Salmonella, Pathogenic E Coli, and Aspergillus.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on NV regulations.

Kelly Zaugg
Lab Director

Handwritten signature of Kelly Zaugg

Revision: #1 - 5/12/26 --- Updated MIC

State License # RL003 ISO 17025 Accreditation # PJLA L24-756-5

Signature 05/09/26 Laboratory License #: 69204305475717257553

Revision: #1 This revision supersedes any and all previous versions of this document.



4439 Polaris Ave.
Las Vegas, NV, 89103, US
(833) 465-8378

Kaycha Labs
.....
Comfort Assist CBD 900 mg
Matrix: Infused Product
Classification: Edible
Type: Capsule



Certificate of Analysis

Prism Earth
www.prismearth.com
License #: HEMP

Sample: LA60504005-001

Ordered: 05/04/26
Sampled: 05/04/26
Completed: 05/09/26

PASSED

Water Activity **PASSED**

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY	Aw	0	0	0.8499	PASS	0.246	
Analyzed by: 1526, 1798, 1572		Weight: NA		Extraction date: N/A		Extracted by: N/A	
Analysis Method : SOP.T.40.019.NV; SOP.T.40.190.NV				Batch Date : 05/05/26 14:16:00			
Analytical Batch : LA014849WAT							
Instrument Used : Water Activity Meter LV-AW-005							
Analyzed Date : 05/07/26 11:19:59							
Dilution : N/A							
Reagent : N/A							
Consumables : N/A							
Pipette : N/A							

Heavy Metals **PASSED**

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ARSENIC	ppm	0	0.20	2	PASS	<LOQ	
CADMIUM	ppm	0	0.20	0.82	PASS	<LOQ	
LEAD	ppm	0	0.20	1.2	PASS	<LOQ	
MERCURY	ppm	0	0.20	0.4	PASS	<LOQ	
Analyzed by: 2008, 1798, 1572		Weight: 0.2328g		Extraction date: N/A		Extracted by: 2008	
Analysis Method : SOP.T.30.081.NV; SOP.T.40.081.NV				Batch Date : 05/05/26 11:53:01			
Analytical Batch : LA014844HEA							
Instrument Used : Kali - Derivatives (LV-ICPMS-004)							
Analyzed Date : 05/07/26 11:19:13							
Dilution : 50							
Reagent : 051425.24; 050526.R03; 040926.R12; 032926.R01; 050126.R01; 031626.04; 081225.04							
Consumables : 61869-236C6-236; 1009468980; 1009468941							
Pipette : LV-PIP-001(20-200 uL - Scilogex); LV-BTD-007; LV-PIP-025 (1-10 mL - VWR); LV-BTD-010; LV-BTD-014; LV-BTD-013; LV-PIP-077							
Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometry) using method SOP.T.30.081.NV and SOP.T.40.081.NV.							

Filth/Foreign Material **PASSED**

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTH AND FOREIGN MATERIAL	detect/g	0	1.0000	0.001	PASS	<LOQ	
Analyzed by: N/A		Weight: NA		Extraction date: N/A		Extracted by: N/A	
Analysis Method : SOP.T.40.090.NV				Batch Date : N/A			
Analytical Batch : N/A							
Instrument Used : N/A							
Analyzed Date : 05/04/26 17:17:50							
Dilution : N/A							
Reagent : N/A							
Consumables : N/A							
Pipette : N/A							

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on NV regulations.

Kelly Zaugg
Lab Director

Revision: #1 -
5/12/26 --- Updated
MIC

State License #
RL003
ISO 17025
Accreditation #
PJLA L24-756-5

Signature
05/09/26
Laboratory License #:
69204305475717257553